

**ADDENDUM NO. 1
TO THE
REQUEST FOR PROPOSALS**

FOR:

**DIGITAL MESSAGE DISPLAY SIGNS
JOB NO. 02-10-FB**

CITY OF KIRKLAND, WASHINGTON

To: All Holders of Request for Proposals

This addendum is hereby made a part of the Request for Proposals (RFP) to the same extent as though it were originally included therein.

This addendum contains 1 page including this page.

Issued this 7th day of May 2010.

Bidders must acknowledge receipt of this addendum within the content of their proposals. Failure to do so may subject bidder to disqualification.

ITEM NO. 1: MINIMUM SPECIFICATIONS

Each sign to be approximately 9'6" long, 5' high, 1'8" wide

This specification has been revised as follows:

Each sign to be approximately 9'6" long, 5' high from average ground elevation, 1'8" wide

ITEM NO. 2: MINIMUM SPECIFICATIONS

Manufacturer to submit and apply for sign permits

This specification has been revised as follows:

Manufacturer to submit and apply for appropriate sign permits (COK sign permits for all locations except Fire Station 27 which is within King County limits)

ITEM NO. 3: MINIMUM SPECIFICATIONS

A new minimum specification has been added:

Each sign to have appropriate internal illumination

ITEM NO. 4: STATEMENT OF SUPPLIER QUALIFICATIONS (page 5)

Return this form with your proposal by 4:00 pm on March 19, 2010

This statement has been revised as follows:

Return this form with your proposal by 4:00 pm on May 17, 2010

ITEM NO. 5: NONCOLLUSION AFFIDAVIT (page 6)

Sworn to before me, this ____ day of _____ 2006.

This statement has been revised as follows:

Sworn to before me, this ____ day of _____ 2010.

Gina M. Hortillosa, P.E.
City of Kirkland
Department of Public Works
123 Fifth Avenue
Kirkland, WA 98033
(425) 587-3828